

8 odalı Sistem

Kompakt Duvar Tipi



Model No.		ASHG07LUCA	ASHG09LUCA	ASHG12LUCA	ASHG14LUCA
kW Class	kW	2.0	2.5	3.5	4.0
Power Source	V/Φ/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Sound pressure level	Cooling	dB(A) 35/30/28/21	36/32/28/21	37/34/31/21	41/36/33/25
	Heating	dB(A) 35/30/28/21	36/32/28/21	37/34/31/21	41/36/34/27
Sound Power Level	Cooling	dB(A) 53	54	55	59
	Heating	dB(A) 53	54	55	59
Air Flow	Cooling	m ³ /h 570/520/470/330	600/550/470/330	660/600/530/330	710/640/570/390
	Heating	m ³ /h 570/520/470/330	600/550/470/330	660/600/530/330	710/640/590/430
Net Dimension	mm	282x870x185	282x870x185	282x870x185	282x870x185
Weight	kg(lbs)	9.5(21)	9.5(21)	9.5(21)	9.5(21)
Pipe Size	Liquid/Gas	mm Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ12.7

Duvar Tipi



Model No.		ASHG07LMCA	ASHG09LMCA	ASHG12LMCA	ASHG14LMCA
kW Class	kW	2.0	2.5	3.5	4.0
Power Source	V/Φ/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Sound pressure level	Cooling	dB(A) 36/32/29/21	37/33/29/21	40/36/30/21	42/38/33/25
	Heating	dB(A) 36/32/29/22	37/33/29/22	40/36/31/22	42/38/35/27
Sound Power Level	Cooling	dB(A) 51	52	54	56
	Heating	dB(A) 51	52	55	57
Air Flow	Cooling	m ³ /h 560/500/430/310	600/520/430/310	660/560/450/310	730/600/530/360
	Heating	m ³ /h 560/500/430/330	600/520/430/330	660/560/470/330	730/620/570/380
Net Dimension	mm	282x870x185	282x870x185	282x870x185	282x870x185
Weight	kg(lbs)	8.5(19)	8.5(19)	8.5(19)	8.5(19)
Pipe Size	Liquid/Gas	mm Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ12.7



Model No.		ASHG18LFCA	ASHG24LFCC
kW Class	kW	5.0	7.0
Power Source	V/Φ/Hz	230/1/50	230/1/50
Sound pressure level	Cooling	dB(A) 43/37/33/26	49/42/37/33
	Heating	dB(A) 42/37/33/25	48/42/37/33
Sound Power Level	Cooling	dB(A) 58	64

	Heating		dB(A)	58	64
Air Flow	Cooling	H/M/L/Q	m ³ /h	900/740/620/550	1120/900/740/620
	Heating		m ³ /h	900/740/620/550	1100/900/740/620
Net Dimension			mm	320x998x238	320x998x238
Weight			kg(lbs)	14(30.8)	14(30.8)
Pipe Size		Liquid/Gas	mm	Φ6.35/Φ12.7	Φ6.35/Φ15.88

Yer Tipi



Model No.			AGHG09LVCA	AGHG12LVCA	AGHG14LVCA
kW Class		kW	2.5	3.5	4.0
Power Source		V/Φ/Hz	230/1/50	230/1/50	230/1/50
Sound pressure level	Cooling	H/M/L/Q	dB(A)	39/34/28/22	42/36/30/22
	Heating		dB(A)	39/35/30/22	42/38/32/22
Sound Power Level	Cooling	H	dB(A)	52	55
	Heating		dB(A)	52	55
Air Flow	Cooling	H/M/L/Q	m ³ /h	530/440/360/270	600/490/380/270
	Heating		m ³ /h	530/460/380/270	600/510/410/270
Net Dimension			mm	600x740x200	600x740x200
Weight			kg(lbs)	14(30.7)	14(30.7)
Pipe Size		Liquid/Gas	mm	Φ6.35/Φ9.52	Φ6.35/Φ12.7

Yer /Tavan



Model No.			ABHG14LVTA	ABHG18LVTB
kW Class		kW	4.0	5.0
Power Source		V/Φ/Hz	230/1/50	230/1/50
Sound pressure level	Cooling	H/M/L/Q	dB(A)	36/34/33/29(Under ceiling) 39/37/36/32(Floor console)
	Heating		dB(A)	41/38/34/32(Under ceiling) 44/41/37/35(Floor console)
Sound Power Level	Cooling	H	dB(A)	51
	Heating		dB(A)	51
Air Flow	Cooling	H/M/L/Q	m ³ /h	640/590/540/480
	Heating		m ³ /h	640/590/540/480
Net Dimension			mm	199x990x655
Weight			kg(lbs)	27(60)
Pipe Size		Liquid/Gas	mm	Φ6.35/Φ12.7

Kompakt Kaset Tipi



Model No.			AUHG07LVLA	AUHG09LVLA	
kW Class		kW	2.0	2.5	
Power Source		V/Φ/Hz	230/1/50	230/1/50	
Sound pressure level	Cooling	H/M/L/Q	dB(A) 33/31/29/27	33/31/29/27	
	Heating		dB(A) 34/32/29/27	34/32/29/27	
Sound Power Level	Cooling	H	dB(A) 46	46	
	Heating		dB(A) 47	47	
Air Flow	Cooling	H/M/L/Q	m³/h 540/490/440/390	540/490/440/390	
	Heating		m³/h 540/490/440/390	540/490/440/390	
Net Dimension		mm	245x570x570	245x570x570	
Weight		kg(lbs)	15(33.1)	15(33.1)	
Cassette Grille			UTG-UFYD-W		
Pipe Size		Liquid/Gas	mm Φ6.35/Φ9.52	Φ6.35/Φ9.52	
Model No.			AUHG12LVLB	AUHG14LVLB	AUHG18LVLB
kW Class		kW	3.5	4.0	5.0
Power Source		V/Φ/Hz	230/1/50	230/1/50	230/1/50
Sound pressure level	Cooling	H/M/L/Q	dB(A) 37/33/31/28	40/35/32/29	42/37/33/29
	Heating		dB(A) 37/33/31/28	40/37/34/29	44/40/37/30
Sound Power Level	Cooling	H	dB(A) 49	52	54
	Heating		dB(A) 49	52	56
Air Flow	Cooling	H/M/L/Q	m³/h 610/530/470/410	680/580/490/410	750/610/520/410
	Heating		m³/h 610/530/470/410	700/620/550/430	800/710/600/450
Net Dimension		mm	245x570x570	245x570x570	245x570x570
Weight		kg(lbs)	15(33.1)	15(33.1)	15(33.1)
Cassette Grille			UTG-UFYD-W		
Pipe Size		Liquid/Gas	mm Φ6.35/Φ9.52	Φ6.35/Φ12.7	Φ6.35/Φ12.7

Kanalı Tipi



Model No.			ARHG07LLTA	ARHG09LLTA	ARHG12LLTB	ARHG14LLTB
kW Class		kW	2.0	2.5	3.5	4.0
Power Source		V/Φ/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Sound pressure level	Cooling	H/M/L/Q	dB(A) 28/26/25/24	28/27/26/25	29/28/27/26	32/30/28/26
	Heating		dB(A) 28/26/25/24	28/26/25/24	29/28/27/24	33/30/28/25
Sound Power Level	Cooling	H	dB(A) 57	57	58	60
	Heating		dB(A) 57	57	58	61
Air Flow	Cooling	H/M/L/Q	m³/h 550/490/470/440	600/550/500/450	650/600/550/480	800/700/600/480
	Heating		m³/h 550/490/470/440	600/550/500/450	650/600/550/480	800/700/600/480
Net Dimension		mm	198x700x620	198x700x620	198x700x620	198x700x620
Weight		kg(lbs)	17(37.5)	19(41.8)	19(41.8)	19(41.8)
Pipe Size		Liquid/Gas	mm Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ9.52	Φ6.35/Φ12.7
External static pressure			0 to 90			
Drain pump			Standard			



Model No.			ARHG18LLTB	
kW Class			kW	5.0
Power Source			V/Φ/Hz	230/1/50
Sound pressure level	Cooling	H/M/L/Q	dB(A)	32/31/30/29
	Heating		dB(A)	33/32/31/29
Sound Power Level	Cooling	H	dB(A)	58
	Heating		dB(A)	59
Air Flow	Cooling	H/M/L/Q	m ³ /h	940/880/820/750
	Heating		m ³ /h	940/880/820/750
Net Dimension			mm	198x900x620
Weight			kg(lbs)	23(50.6)
Pipe Size		Liquid/Gas	mm	Φ6.35/Φ12.7
External static pressure				0 to 90
Drain pump				Standard